CATALOGUE 2021 SMART PRODUCTS VER-4.2

https://www.protiumanling.com









We're a lifestyle company, inspired by ideas that promise more comfort, convenience, fun and peace of mind for our customers. We're consistently driven to find ways to live smarter.

We partner with highly trained system designers and installers who share our vision and passion for smarter living.

By sharing with us how you want to live, we can leverage our solutions to help you create the smart home of your dreams.





SMART PRODUCTS

WE OFFERS.....

REMOTES

BroadLink RM4C PRO/RM4 Pro

BroadLink RM4C/RM4 Mini

 $W \mid F \mid + \mid R$











WIFI+IR+RF

Control your non smart IR/RF remote controlled appliances via mobile app from anywhere.

IR Universal Remote

Control all IR devices from smart phone and voice Automate scenes by triggering from sensors





Could IR code



IR control



Wi-Fi/3G/4G



50.000+ IR codes on cloud











RF control











UNIVERSAL REMOTES



Local IR code



Cloud IR code update



IR control



RF control



Wi-Fi\3G\4G control



One-button match



Manual learning IR code



Timers and triggers



50000+IR codes on cloud




External sensor(optional)





Universal Remotes

- 38K IR Frequency
- Pro Model Supports 433.92Mhz and 315 Mhz RF band
- Multiple-direction infrared
- Timer settings
- Scene Settings
- Anywhere control
- No Hub Required
- Local IR code for faster response
- RM4 Support external sensor accessory (HTS2)





RM4C



RM4 Mini



Protium



ium Magic Cube








RM4C Pro

RM4 Pro

All One Pro

MODEL	IR	RF	Арр
Protium IR	0	Χ	Smart Life
Magic Cube	Ο	Χ	Orvibo Home
All One Pro	0	0	Orvibo Home





FEATURES

- White and Color Ambience
- Timer settings
- Scene Settings
- Anywhere control
- No Hub Required
- Automation with other smart life app switches

6W, E27

7 W W , B 2 2

7 W S , B 2 2

MODEL	Wattage	Socket	Арр
6W,E27	6 Watt	E27	Smart life
7WW,B22	7 Watt	B22	Smart life
7WS,B22	7 Watt	B22	Smart life
10W Color	10 Watt	E27	Yeelight
10W CCT	10 Watt	E27	Yeelight



10W CCT

10W Color

Discontinued: New Models coming soon









Control from Anywhere

WiFi connectivity allows controlling lights no matter where you are







0

Touch ON/OFF Control

Control Switch via touch button

Mobile App Control

Control Switch Via Mobile app

Voice Control

by Amazon Alexa / by Google Home



RF Remote Control (Optional)

- 4 Remote options (1-4 Gang)
- Keyring Remote
- A,B,C,D Button Remote
- Navigation Button Remote
- Touch Plate (X86 type) Remote







1 Gang 2 Gang 3 Gang 4 Gang White / Black / Purple color


Specifications:

- Size: 86mm×86×32mm, 147mm x 86mm x 38mm
- Panel: Tempered Crystal Glass
- Bottom Materials: Retardant PC
- Rated voltage: AC 100-250V 50/60Hz
- Rated current/Max Current: 3A/10A
- Rated Load: 200W/Ch
- Load type: Incandescent lamp, energy saving lamp, tube
- Wireless Wi-Fi standard: 802.11b/g/n
- Standby Current: 0.001A
- Standby power: 0.25W
- Operating temperature: -25 degree to +60 degree
- Relative humidity:<95%

COMbo series


FEATURES

- High quality crystal tempered glass panel design, never fade.
- With blue LED indicator, very distinguished.
- E-start, no sparking contacts.
- Easy to operate
- Lamps status
- **Current Statistics**
- Support Alexa and google home.
- Brand new imported IC & capacitive touch sense, more superior performance & sensitive touch.
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps, Fan, and so on
- Suitable for home, office, hotel, hospital and so on





000000



AC SPECS:

- Dimension: 147mm x 86mm x 38mm
- Operating voltage:110V-240V/50-60HZ
- Rated load:1000W/Gang
- Fan load:<600W
- USB 2.0 Load: 5V, 4A Max
- Socket Load: 15A Max (Resistive)
- Frequency: Wifi 2.4G
- Wireless Fidelity: 802.11b/g/n
- Required 5" x 3" Metal or plastic box


































Smart Combo Wall Switch	Combo 8 Gang-W	Combo 8 Gang-B	Combo 4 Gang + Socket	Combo 4 Gang + Socket	Combo 4 Gang + Fan	Combo 4 Gang + Fan	Combo Dual USB Socket	Combo Dual USB Socket
Features	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required
Available Color	• White	• Black						

MCDULAR series











Powered by

tuyດີ

Intelligence Inside







FEATURES

- High quality crystal tempered glass panel design, never fade.
- With blue LED indicator, very distinguished.
- E-start, no sparking contacts.
- Easy to operate
- Lamps status
- Support Alexa and google home.
- Brand new imported IC & capacitive touch sense, more superior performance & sensitive touch.
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps, Fan, and so on
- Suitable for home, office, hotel, hospital and so on

AC SPECS:

- Operating voltage:110V-240V/50-60HZ
- Rated load:1000W/Gang
- Socket Load : 13A Max (Resistive)
- Frequency: Wifi 2.4G
- Wireless Fidelity: 802.11b/g/nRequired Separate Modular Plate













Smart LCD Wall Switch	ON/OFF MODULE (1-4 G)	DUAL DIMMER MODULE	FAN MODULE	CURTAIN CONTROL MODULE	
Features	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	
Available Color	BlackWhite	BlackWhite	BlackWhite	BlackWhite	
Other					

LCD series

FEATURES

- High quality Capacitive touch screen Multicolour display.
- Stay Personalized: change interface display, Button ICON
- Power Consumption Statistics
- Super Mutual Control
- Easy to operate, Scan code configuration
- Wifi Mesh Network : More faster and Stable
- Support Alexa and google home and IFTTT
- Brand new imported IC & capacitive touch sense, more superior performance & sensitive touch.
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps, Fan, and so on
- Suitable for home, office, hotel, hospital and so on

AC SPECS:

- Dimension: 86mm x 86mm x 40mm
- LCD resolution:240*320
- Operating voltage:110V-240V/50-60HZ
- Rated load:200W/Gang
- Socket Load : 13A Max (Resistive)
- Frequency: Wifi 2.4G
- Wireless Fidelity: 802.11b/g/n
- Required 3" x 3" Metal or plastic box

























Smart LCD Wall Switch	6in1 SMART ON/OFF	DIMMER SWITCH	BOILER SWITCH (16A)	LCD-SOCKET	
Features	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	 Anywhere control Timer settings Sharing Control Energy Monitor No Hub Required 	
Available Color	BlackWhite	BlackWhite	BlackWhite	Black White	
Other					



Application of RF Remote

Wall Sticker Switch as dual control



Bed side switch as dual control



Table switch as dual control



Staircase switch as dual control





















Smart Touch RF Wall Switch	1 Gang Circle	2 Gang Circle	3 Gang Circle	4 Gang Circle	1 Gang Circle	2 Gang Circle	3 Gang Circle	4 Gang Circle
Brand	Protium	Protium	Protium	Protium	Protium	Protium	Protium	Protium
Connection type	WIFI + RF	WIFI + RF	WIFI + RF	WIFI + RF	WIFI + RF	WIFI + RF	WIFI + RF	WIFI + RF
Mobile App	Ewelink	Ewelink	Ewelink	Ewelink	Ewelink	Ewelink	Ewelink	Ewelink
Features	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required Wall switch compatible 2 Gang in one 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required Wall switch compatible 2 Gang in one
Available Color	• Black	• Black	• Black	• Black	• White	• White	• White	• White



Application of RF Remote

Wall Sticker Switch as dual control



Bed side switch as dual control



Table switch as dual control



Staircase switch as dual control



Accessories for
















Smart Touch RF Wall Switch	3 Button Touch	3 Button Touch	4 Button ABCD-P	4 Button ABCD-K	4 Button ABCD-S	5 Button Navigation
Brand	Protium	Protium	Protium	Protium	Protium	Protium
Connection type	RF433 Mhz					
Mobile App	-	-	-	-	-	-
Features	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF 	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF 	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF 	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF 	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF 	 RF 433.92Mhz 2x CR2032 Battery Can be paired with any RF Switch & Sonoff RF
Available Color	• White	• Black	• White	• Black	• White	• White




Backlight Indicator





Available Color









Black

White







Black

White



Black

White



Silver



White

Purple





Black

• White







Black

• White



4 -



Smart Tact Wall Switch	Flower 3 gang	Power 3 gang	Double Circle 3 gang	Rectangle 3 gang	Round 4 gang	AC Switch (20A)	Convertible	Finger Print
Brand	Protium	Protium	Protium	Protium	Protium	Protium	Protium	Protium
Connection type	WIFI	WIFI	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI
Mobile App	Smart Life	Smart Living	Smart Living	Smart Living				
Features	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Can handle up to 20A load. Suitable for AC, Geyser Etc 	• Convertible to 1,2,3 gang & Curtain Switch	 Anywhere control Timer settings Sharing Control No Hub Required Up to 100 Finger prints Can be used as Lock
	• Black	Black	Black	Black	Black	Black	Black	


Black

White

AC SPECS:

- Dimension: 86mm x 86mm x 41mm (Piano), 80mm x 80mm x 40mm (Round),
- Operating voltage:110V-240V/50-60HZ
- Rated load:600W/Gang
- Fan load:<300W (Only ON/OFF)
- Frequency: Wifi 2.4G
- Wireless Fidelity: 802.11b/g/n
- Required 3" x 3" Metal or plastic box





















Wall Box for X86 switches



Smart Tact Wall Switch	Piano 1 gang	Piano 2 gang	Piano 3 gang	Round 1 gang	Round 2 gang	Round 3 gang	3x3 (4 Module) PVC Box	3x3 (4 Module) Metal Box
Brand	Protium	Protium	Protium	Protium	Protium	Protium	Legrand	Legrand
Connection type	WIFI	WIFI	WI-FI	WI-FI	WI-FI	WI-FI	-	-
Mobile App	Ewelink	Ewelink	Ewelink	Smart Life	Smart Life	Smart Life	-	-
Features	 Anywhere control Timer settings Sharing Control No Hub Required RF module (Optional) 	 Anywhere control Timer settings Sharing Control No Hub Required RF module (Optional) 	 Anywhere control Timer settings Sharing Control No Hub Required RF module (Optional) 	Anywhere controlTimer settingsSharing ControlNo Hub Required	Anywhere controlTimer settingsSharing ControlNo Hub Required	Anywhere controlTimer settingsSharing ControlNo Hub Required	 Suitable for Outside wall and inside wall Support for All Our X86 Switch models 	 Suitable for inside wall Earth Wire connection Support for All Our X86 Switch models
Available Color	• White	• White	• White	• White	• White	• White	• White	• Metal

SVART INLINE SWITCHES

ON/OFF Control
Temp/Humidity
Energy Monitoring*
10A, 16A Options
Multi App Support















Sync Status





Work with IFTTT

















Model	Smart Switch 10-SL	Smart Switch 10-MH	Smart Switch 16A-SL	Smart Switch 16A-SL EM	Wall Compatible 10A2-SL	Smart Switch MCB1	Smart Water Valve	Smart MCB 40A/63A*
Brand	Protium	Protium	Protium	Protium	Protium	Broadlink	Protium	Protium
Connection type	WIFI	WIFI	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI
Mobile App	Smart Life	Magic Home	Smart Life	Smart Life	Smart Life	IHC/Broadlink	Smart Life	Smart Life Ewelink*
Features	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required Energy Monitor 	 Anywhere control Timer settings Sharing Control No Hub Required Wall switch compatible 2 Gang in one 	 Anywhere control Timer settings Sharing Control No Hub Required 	 Anywhere control Timer settings Sharing Control No Hub Required Fit to ¾" and ½" pipes 	 Anywhere control Timer settings Sharing Control No Hub Required Whole House control
Contents/ Additional info.								

Keep You Informed From Anywhere APP remote monitoring, door and window magnetic open and close, temperature and humidity monitoring can be pushed to your mobile phone APP. Remote Alarm, Real-time Master **Suspicious Situations in Your Home** When abnormal body movement is detected, the sensor will immediately alarm and push to the phone. SMAR HOME SECURITY/SENSORS







High Sensitivity



Long Transmission Distance



Remote Monitorina



Voice Query




Smart Linkage



Long Battery Life























Model	BROADLINK S2 KIT	ORVIBO SECURITY KIT	SMART PIR SQUARE	SMART PIR EYE BALL	Smart Door Sensor (M)	Smart Door Sensor (S)	Smart Water Leakage Sensor	Temperature & Humidity Sensor/Siren
Brand	Broadlink	Orvibo	Protium	Protium	Protium	Protium	Protium	Protium
Connection type	WIFI + RF	WIFI + Zigbee	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI	WI-FI
Mobile App	Broadlink	HomeMate	Smart Life					
Features	 Smart alarm Remote reminder Real-time alert Home/Away settings 	Smart alarmRemote reminderReal-time view	 Smart alarm Remote reminder Real-time alert Scene linkage with other smart life device 	 Smart alarm Remote reminder Real-time alert Scene linkage with other smart life device 	 Smart alarm Remote reminder Real-time alert Scene linkage with other smart life device 	 Smart alarm Remote reminder Real-time alert Scene linkage with other smart life device 	 Smart alarm Remote reminder Real-time alert Scene linkage with other smart life device 	 Smart alarm Remote reminder Real-time alert 58dBA Scene linkage with other smart life device
Contents/ Additional info.	HUBDoor SensorPIR SensorRemote	HUB2x Door SensorPIR SensorIndoor IPcamera	PIR Sensor SQUARE	PIR Sensor EYE BALL	Smart Door/window Sensor	Smart Door/window Sensor	Smart Water Leakage Sensor	Temperature & Humidity Sensor/Siren


SMART PLUGS 8 POWER STRIPS

instantly convert your non smart appliance to mobile controlled smart home appliance





10A Type D Series



























Model	Smart plug-D	Smart Mini Plug	Smart Plug- M	Smart Plug SP2-IN (M)	Smart Plug SP3S	Smart plug IP54 (UNV)	Smart plug IP54 (EU)	Dual Plug IP54 (EU)
Brand	Protium	Protium	Protium	Broadlink	Broadlink	Protium	Protium	Protium
Connection type	WIFI	WIFI	WIFI	WIFI	WIFI	WIFI	WIFI	WIFI
Mobile App	Smart life Ewelink	Smart life	Smart life	Broadlink	Broadlink	Ewelink	Ewelink	Ewelink
Features	 Universal Output Remote reminder Real-time alert No hub Required Indian Standard 	 Universal Output Remote reminder Real-time alert No hub Required Indian Standard 	 Type -M (16A) Remote reminder Real-time alert No hub Required Indian Standard 	 Type -M (16A) Remote reminder Real-time alert No hub Required Indian Standard 	 16A EU IN/OUT Remote reminder Real-time alert No hub Required Energy monitor 	 Universal Output Remote reminder Real-time alert No hub Required Indian Standard 	 Universal Output Remote reminder Real-time alert No hub Required Indian Standard 	 Universal Output Remote reminder Real-time alert No hub Required Indian Standard
Contents/ Additional info.								























